

general catalogue
2025




STARGRES®

STARGRES®

general catalogue
2025

From one pallet per day in 1989,
to 30 million sqm of annual production in 30 years





about us

We are a reputable manufacturer of gres tiles, operating in the market since 1989. The top quality of our products has earned us the trust of our customers for over three decades. Modern solutions that combine durability, aesthetics and innovation are our specialty.

Our gres tiles are perfect for both private and commercial spaces. We prioritize sustainable development, modern technologies and attention to detail. Streamlining of the decision-making process allowed us to open another state-of-the-art production line in 2019, which enables the production of 3 cm thick gres tiles in **90x90 cm** format and with a compressive strength of over 3 tons.

Even during the difficult period for the global economy caused by the COVID-19 pandemic, among other things, we managed to remain profitable. The above fact makes the companies plan further dynamic development. In April 2022, we launched **two more 3-cm gres tile production lines**. This gives us an annual increase in production of terrace gres tiles of 1 million m².



Star Training Center - a new space for creative meetings

The opening of a multifunctional training center, **Star Training Center**, will allow us to take the quality of training to the next level and build lasting relationships with our business partners, customers and the design industry. **Star Training Center** is a response to the expectations of our customers, the increasing need for the design industry to expand its product knowledge. This is the result of a change in perspective on participation in events in the exhibition industry. It is a new quality of meeting where nature and innovation meet in harmony and a place where every detail is part of a greater whole that inspires, motivates and supports. The name of the training space has three parts:

The word **"Star"** comes from the name of our Stargres brand, which is the leading brand in the **Końskie Group**, in terms of development and investment. The company's portfolio includes interior and exterior tiles, found in a multitude of formats and textures. At the top of **Stargres'** priority list are high quality and environmentally friendly production, which is why all the company's products meet the most stringent Polish and European standards.


The word **"Training"** literally means that we also build our reputation through workshops tailored to the needs of our customers — distributors, landscape architects, interior designers, and contractors.

The word **"Center"** is there because **Star Training Center** is located in Końskie, Świętokrzyskie voivodeship, in the heart of Poland.





/11/ Star Training Center



5000 m² of space offering new opportunities

Building a new conference and training center right next to our factory is an innovative solution. The area of **5,000 m²** allows us to present to our business partners all sorts of capabilities and solutions that we will be introducing. This is a place where we will be able to meet, talk about important issues, but most importantly strengthen business ties and get to know each other better. We are sure that the formula of meetings in Końskie will replace trade fairs in the future.

Every step, from the foundations to the final finishing touches, was carefully thought out. Today, we are pleased to share the details of this process with you, the process which has resulted in a place created for growth, innovation and collaboration.

Each training room has been modeled after the four elements, as each element is integral to the production of ceramic tiles. **Star Training Center** combines the four elements to create a unique space for architects, contractors and distributors. These elements characterize what is most important in the company – without this extremely close cooperation of four factors, namely stability, passion, authenticity and identity, we would not have been able to build such strong brands of the **Końskie Group**.



▽ earth conference room

The element of **earth**, in production is the most important — it provides us with a base for production. The base includes sands, silts or aggregates. Here, however, earth means the basis for the formation of a company — its roots, or the solid foundations that create it. **Earth** also symbolizes building long-term relationships with employees and our regular partners. **Star Training Center** a place to root new projects and strengthen business friendships.



△ air conference room

Air means freshness, lightness and openness to new ideas. It is an element that brings new insights and encourages thinking outside the box. In our space, **air** symbolizes innovative solutions and a space where every idea has a chance to be freely developed. The conference room is designed for large meetings, conferences and lectures, and can accommodate a total of about 49 people.





▽ water conference room

In the production process **water**, it allows soil and other aggregates to be mixed together so that the mass is in a perfect liquid state. **Water** is a symbol of fluidity, flexibility and adaptability.

In our space, water is a metaphor for the free exchange of ideas, openness to change and the ability to adapt to the different needs of participants. **Water** gives space for reflection and quiet thought, allowing for the development of new ideas.



△ fire conference room

The **fire** conference room can be divided into two parts: business and kitchen, both isolated by a sliding wall if necessary. This makes it possible to organize cooking workshops for selected customers with a professional chef. **Fire** symbolizes energy, passion and transformation — an element that drives us to action and inspires the discovery of new solutions. In our training space, it creates an atmosphere that encourages creative thinking and ingenuity



/2 cm - 3 cm thickness/
star collection

STAR SURFACES 2.0 3.0



concrete ^{new}	18
qubus ^{new}	20
tobi ^{new}	22
voyager ^{new}	24
danzig	30
downtown	34
halifax	38
oxygen	42
peacock	44
pietra serena	64
pizarra	68
pulsar	74
rawtech	76
select	78
select decor	82
space	86
spectre	88
stark	90
suomi	94
town	98
vena stone	104



new

/19/ inspiration of the stone

concrete collection




ilios 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
asteri	60x60/24"x24"	20/0,80"	5905427713760	mat	8	R11	IV	✓
ilios	60x60/24"x24"	20/0,80"	5905427713746	mat	8	R11	IV	✓

concrete collection STAZ 2.0E

60x60x2/24"x24"x0,80"

⊕ available sizes




packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



new

/21/ inspiration of the concrete

qubus collection



white 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
white	60x60/24"x24"	20/0,80"	5905427710950	mat	12	R11	IV	✓
soft grey	60x60/24"x24"	20/0,80"	5905427711032	mat	12	R11	IV	✓
beige	60x60/24"x24"	20/0,80"	5905427711056	mat	12	R11	IV	✓
grey	60x60/24"x24"	20/0,80"	5905427710974	mat	12	R11	IV	✓
dark grey	60x60/24"x24"	20/0,80"	5905427711018	mat	12	R11	IV	✓
antracite	60x60/24"x24"	20/0,80"	5905427710998	mat	12	R11	IV	✓

qubus collection  

60x60x2/24"x24"x0,80"

⊕ available sizes



packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30




new

tobi collection 


60x60x2/24"x24"x0,80"

 available sizes





/23/inspiration of the stone

tobi collection



beige 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
soft grey	60x60/24"x24"	20/0,80"	5905427713265	mat	12	R11	IV	✓
beige	60x60/24"x24"	20/0,80"	5905427713241	mat	12	R11	IV	✓
grey	60x60/24"x24"	30/1,20"	5905427714453	mat	12	R11	IV	✓
grey	60x60/24"x24"	20/0,80"	5905427713289	mat	12	R11	IV	✓
antracite	60x60/24"x24"	20/0,80"	5905427713302	mat	12	R11	IV	✓

 packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



new

voyager collection



30x60x2/12"x24"x0,80" new • 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80"
60x120x2/24"x48"x0,80" • 90x90x2/36"x36"x0,80" • 120x120x2/48"x48"x0,80" new

⊕ available sizes



/25/ inspiration of the stone

voyager collection



taupe 120x120x2/48"x48"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
white	120x120/48"x48"	20/0,80"	—	mat	12	R11	IV	✓
cream	120x120/48"x48"	20/0,80"	—	mat	12	R11	IV	✓
taupe	120x120/48"x48"	20/0,80"	—	mat	12	R11	IV	✓
antracite	120x120/48"x48"	20/0,80"	—	mat	12	R11	IV	✓
graphite	120x120/48"x48"	20/0,80"	—	mat	12	R11	IV	✓

packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	120x120/48"x48"	20/0,80"	1	1,44/15,50	65/143,30	18



taupe 60x120x2/24"x48"x0,80" rectified



color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
white	60x120/24"x48"	20/0,80"	—	mat	12	R11	IV	✓
cream	60x120/24"x48"	20/0,80"	5905427712633	mat	12	R11	IV	✓
taupe	60x120/24"x48"	20/0,80"	5905427712657	mat	12	R11	IV	✓
antracite	60x120/24"x48"	20/0,80"	5905427712671	mat	12	R11	IV	✓
graphite	60x120/48"x48"	20/0,80"	5905427712695	mat	12	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	packing system
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	



taupe 60x60x2/24"x24"x0,80" rectified

taupe 30x60x2/12"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
white	60x60/24"x24"	20/0,80"	—	mat	12	R11	IV	✓
	60x60/24"x24"	30/1,20"	—	mat	12	R11	IV	✓
	30x60/12"x24"	20/0,80"	—	mat	15	R11	IV	✓
cream	60x60/24"x24"	20/0,80"	5905427712145	mat	12	R11	IV	✓
	60x60/24"x24"	30/1,20"	5905427712879	mat	12	R11	IV	✓
	30x60/12"x24"	20/0,80"	—	mat	15	R11	IV	✓
taupe	60x60/24"x24"	20/0,80"	5905427712169	mat	12	R11	IV	✓
	60x60/24"x24"	30/1,20"	5905427712893	mat	12	R11	IV	✓
	30x60/12"x24"	20/0,80"	5901503230763	mat	15	R11	IV	✓
antracite	60x60/24"x24"	20/0,80"	5905427712183	mat	12	R11	IV	✓
	60x60/24"x24"	30/1,20"	5905427712916	mat	12	R11	IV	✓
	30x60/12"x24"	20/0,80"	5901503230787	mat	15	R11	IV	✓
graphite	60x60/24"x24"	20/0,80"	5905427712206	mat	12	R11	IV	✓
	60x60/24"x24"	30/1,20"	5905427712930	mat	12	R11	IV	✓
	30x60/12"x24"	20/0,80"	5901503230800	mat	15	R11	IV	✓

packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30
	30x60/12"x24"	20/0,80"	3	0,54/5,81	24,6/54,23	48



⊕ voyager taupe 90x90x2/36"x36"x0,8



taupe 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
white	90x90/36"x36"	20/0,80"	—	mat	5	R11	IV	✓
cream	90x90/36"x36"	20/0,80"	5905427712510	mat	5	R11	IV	✓
taupe	90x90/36"x36"	20/0,80"	5905427711674	mat	5	R11	IV	✓
antracite	90x90/36"x36"	20/0,80"	5905427712534	mat	5	R11	IV	✓
graphite	90x90/36"x36"	20/0,80"	5905427712558	mat	5	R11	IV	✓

packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	90x90/36"x36"	20/0,80"	1	0,81/8,72	56/123,46	20




danzig collection   


60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" • 90x90x3/36"x36"x1,20"

 available sizes





taupe 60x60x2/24"x24"x0,80" rectified




taupe 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
white	60x60/24"x24"	20/0,80"	5901503206416	mat	9	R11	IV	✓
natural	60x60/24"x24"	20/0,80"	5901503206409	mat	9	R11	IV	✓
brown	60x60/24"x24"	30/1,20"	5901503207734	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503209592	mat	9	R11	IV	✓
taupe	60x60/24"x24"	20/0,80"	5901503206447	mat	5	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207536	mat	12	R11	IV	✓
grey	60x60/24"x24"	20/0,80"	5901503206423	mat	9	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207550	mat	12	R11	IV	✓
antracite	60x60/24"x24"	30/1,20"	5901503207550	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503206430	mat	9	R11	IV	✓

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
taupe	90x90/36"x36"	30/1,20"	5901503220467	mat	9	R11	IV	✓
grey	90x90/36"x36"	30/1,20"	5901503218617	mat	5	R11	IV	✓
antracite	90x90/36"x36"	30/1,20"	5901503218631	mat	5	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



packing system




packing system

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20



/35/ inspiration of the concrete

downtown collection



grey 60x60x2/24"x24"x0,80" rectified


color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
grey	60x60/24"x24"	30/1,20"	5901503208144	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503203866	mat	9	R11	IV	✓
taupe	60x60/24"x24"	30/1,20"	5901503208168	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503203859	mat	9	R11	IV	✓
antracite	60x60/24"x24"	30/1,20"	5901503208151	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503203873	mat	9	R11	IV	✓




downtown collection   

60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" • 90x90x3/36"x36"x1,20"

⊕ available sizes



 packing system ⊕	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



grey 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
grey	90x90/36"x36"	30/1,20"	5901503218570	mat	6	R11	IV	✓
decor	90x90/36"x36"	30/1,20"	5901503220375	mat	1	R11	IV	✓
taupe	90x90/36"x36"	30/1,20"	5901503218594	mat	7	R11	IV	✓
antracite	90x90/36"x36"	30/1,20"	5901503218198	mat	13	R11	IV	✓

packing system	format cm/in	grubość mm	szt./opak.	m ² /opak.	kg/opak.	opak./paleta
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20

downtown grey 90x90x2/36"x36"x0,80"



/39/ inspiration of the wood

halifax collection

available colours



natural

brown




natural 40x120x2/16"x48"x0,80" rectified



color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
natural	40x120/16"x48"	20/0,80"	5905427713425	mat	6	R11	IV	✓
brown	40x120/16"x48"	20/0,80"	5905427713401	mat	6	R11	IV	✓

halifax collection   

45x90x2/18"x36"x0,80" • 40x120x2/16"x48"x0,80"new

 available sizes



 packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	40x120/16"x48"	20/0,80"	2	0,96/10,33	41,57/91,65	20



natural 45x90x2/18"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
natural	45x90/18"x36"	20/0,80"	5901503225622	mat	12	R11	IV	✓
brown	45x90/18"x36"	20/0,80"	5901503225608	mat	12	R11	IV	✓


packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24

halifax natural 45x90x2/18"x36"x0,80"



/43/inspiration of the stone

oxygen collection



black 60x60x2/24"x24"x0,80" rectified



color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
ash	60x60/24"x24"	20/0,80"	5905427711094	mat	8	R11	IV	✓
black	60x60/24"x24"	20/0,80"	5905427711070	mat	6	R11	IV	✓

oxygen collection 

60x60x2/24"x24"x0,80"

 available sizes



 packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30




peacock collection  



60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20"
90x90x2/36"x36"x0,80" • 90x90x3/36"x36"x1,20"

 available sizes





black 60x60x2/24"x24"x0,80" rectified
60x60x3/24"x24"x1,20" rectified




black 90x90x2/36"x36"x0,80" rectified
90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
black	60x60/24"x24"	30/1,20"	5901503223802	mat	13	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220009	mat	13	R11	IV	✓

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
black	90x90/36"x36"	30/1,20"	5901503221242	mat	13	R11	IV	✓
	90x90/36"x36"	20/0,80"	5905427710004	mat	13	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30




format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30

peacock collection


  PEI IV R11   

60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" 90x90x2/36"x36"x0,80" • 90x90x3/36"x36"x1,20"

available sizes 



 peacock rust 60x60x2/24"x24"x0,80"



rusty 60x60x2/24"x24"x0,80" rectified
60x60x3/24"x24"x1,20" rectified




rusty 90x90x2/36"x36"x0,80" rectified
90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
rusty	60x60/24"x24"	30/1,20"	5901503223826	mat	17	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220023	mat	17	R11	IV	✓

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
rusty	90x90/36"x36"	30/1,20"	5901503221228	mat	17	R11	IV	✓
	90x90/36"x36"	20/0,80"	5905427710066	mat	17	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30

peacock collection




60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" 90x90x2/36"x36"x0,80" • 90x90x3/36"x36"x1,20"



available sizes



peacock copper 60x60x2/24"x24"x0,80"



copper 60x60x2/24"x24"x0,80" rectified
60x60x3/24"x24"x1,20" rectified




copper 90x90x2/36"x36"x0,80" rectified
90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
copper	60x60/24"x24"	30/1,20"	5901503223840	mat	19	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220047	mat	19	R11	IV	✓

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
copper	90x90/36"x36"	30/1,20"	5901503218280	mat	19	R11	IV	✓
	90x90/36"x36"	20/0,80"	5905427710042	mat	19	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30

peacock collection




60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" 90x90x2/36"x36"x0,80" • 90x90x3/36"x36"x1,20"

available sizes




peacock blue 60x60x2/24"x24"x0,80"





blue 60x60x2/24"x24"x0,80" rectified
60x60x3/24"x24"x1,20" rectified




blue 90x90x2/36"x36"x0,80" rectified
90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
rusty	60x60/24"x24"	30/1,20"	5901503223864	mat	5	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220061	mat	5	R11	IV	✓

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
rusty	90x90/36"x36"	30/1,20"	5901503221204	mat	5	R11	IV	✓
	90x90/36"x36"	20/0,80"	5905427710028	mat	5	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30




format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30


peacock collection



60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" 90x90x2/36"x36"x0,80" • 90x90x3/36"x36"x1,20"

available sizes 



 peacock sand 60x60x2/24"x24"x0,80"



sand 60x60x2/24"x24"x0,80" rectified
60x60x3/24"x24"x1,20" rectified




sand 90x90x2/36"x36"x0,80" rectified
90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
sand	60x60/24"x24"	30/1,20"	5901503221723	mat	15	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220085	mat	15	R11	IV	✓

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
sand	90x90/36"x36"	30/1,20"	5901503223789	mat	15	R11	IV	✓
	90x90/36"x36"	20/0,80"	5905427710080	mat	15	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30




format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30



/65/inspiration of the stone

pietra serena collection



cream 60x60x2/24"x24"x0,80" rectified


color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
cream	60x60/24"x24"	30/1,20"	5901503212080	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907641449982	mat	6	R11	IV	✓
grey	60x60/24"x24"	30/1,20"	5901503212097	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907641446219	mat	6	R11	IV	✓
antracite	60x60/24"x24"	30/1,20"	5901503212110	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907641444321	mat	6	R11	IV	✓
black	60x60/24"x24"	30/1,20"	5901503212103	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503207192	mat	6	R11	IV	✓

pietra serena collection  

60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" • 60x120x2/24"x48"x0,80"
30x120x2/12"x48"x0,80"

 available sizes



 packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



pietra serena cream 60x120x2/24"x48"x0,80"



cream 60x120x2/24"x48"x0,80" rectified



cream step tile 30x120x2/12"x48"x0,80" rectified


color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
cream	60x120/24"x48"	20/0,80"	5901503211243	mat	6	R11	IV	✓
	30x120/12"x48"	20/0,80"	5902706502817	mat step tile	multi	R11	IV	✓
grey	60x120/24"x48"	20/0,80"	5901503211229	mat	6	R11	IV	✓
	30x120/12"x48"	20/0,80"	5902706502824	mat step tile	multi	R11	IV	✓
antracite	60x120/24"x48"	20/0,80"	5901503211236	mat	6	R11	IV	✓
	30x120/12"x48"	20/0,80"	5902706502831	mat step tile	multi	R11	IV	✓

packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32
	30x120/12"x48"	20/0,80"	1	0,36/3,87	16/35,27	50



/69/inspiration of the stone

pizarra collection



grey 60x60x2/24"x24"x0,80" rectified



color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
grey	60x60/24"x24"	30/1,20"	5901503210499	mat	11	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220238	mat	11	R11	IV	✓
cream	60x60/24"x24"	30/1,20"	5905427710639	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503221891	mat	12	R11	IV	✓
dark grey	60x60/24"x24"	30/1,20"	5901503210505	mat	11	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220252	mat	11	R11	IV	✓
antracite	60x60/24"x24"	30/1,20"	5901503210512	mat	11	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220276	mat	11	R11	IV	✓

pizarra collection   

60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" • 60x120x2/24"x48"x0,80"
 90x90x2/36"x36"x0,80" • 90x90x3/36"x36"x1,20" • 45x90x2/18"x36"x0,80"


 available sizes



 packing system	format cm/in	grubość mm	szt./opak.	m ² /opak.	kg/opak.	opak./paleta
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30




grey 60x120x2/24"x48"x0,80" rectified



color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
grey	60x120/24"x48"	20/0,80"	5901503220429	mat	6	R11	IV	✓
dark grey	60x120/24"x48"	20/0,80"	5901503220436	mat	6	R11	IV	✓
antracite	60x120/24"x48"	20/0,80"	5901503218327	mat	6	R11	IV	✓


format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32



grey 45x90x2/18"x36"x0,80" rectified


color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
grey	45x90/18"x36"	20/0,80"	5901503220221	mat	6	R11	IV	✓
cream	45x90/18"x36"	20/0,80"	5901503225509	mat	6	R11	IV	✓
dark grey	45x90/18"x36"	20/0,80"	5901503220245	mat	6	R11	IV	✓
antracite	45x90/18"x36"	20/0,80"	5901503220269	mat	6	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24





pizarra grey 90x90x3/36"x36"x1,20"



grey 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
grey	90x90/36"x36"	30/1,20"	5901503218679	mat	9	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503221440	mat	9	R11	IV	✓
dark grey	90x90/36"x36"	30/1,20"	5901503219942	mat	9	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503221426	mat	9	R11	IV	✓
antracite	90x90/36"x36"	30/1,20"	5901503218655	mat	9	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503221402	mat	9	R11	IV	✓

packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30



/75/inspiration of the stone

pulsar collection



beige 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
beige	60x60/24"x24"	20/0,80"	5905427711155	mat	6	R11	IV	✓
grau	60x60/24"x24"	20/0,80"	5905427711179	mat	6	R11	IV	✓

pulsar collection 

60x60x2/24"x24"x0,80"

⊕ available sizes




packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



/77/ inspiration of the concrete

rawtech collection



white 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
white	60x60/24"x24"	20/0,80"	5905427710714	mat	10	R11	IV	✓
soft grey	60x60/24"x24"	20/0,80"	5905427710677	mat	10	R11	IV	✓
silver	60x60/24"x24"	20/0,80"	5905427710691	mat	10	R11	IV	✓
grey	60x60/24"x24"	20/0,80"	5905427710738	mat	10	R11	IV	✓

rawtech collection 

60x60x2/24"x24"x0,80"

⊕ available sizes




packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



/79/ inspiration of the concrete

select collection



soft grey 60x60x2/24"x24"x0,80" rectified



color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
beige	60x60/24"x24"	30/1,20"	5901503215067	mat	7	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503216774	mat	6	R11	IV	✓
grey	60x60/24"x24"	30/1,20"	5901503212127	mat	9	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220351	mat	9	R11	IV	✓
brown	60x60/24"x24"	30/1,20"	5901503215074	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503217030	mat	6	R11	IV	✓
antracite	60x60/24"x24"	30/1,20"	5901503212134	mat	9	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503217955	mat	9	R11	IV	✓

select collection   

60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" • 60x120x2/24"x48"x0,80"


 available sizes



 packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



select soft grey 60x120x2/24"x48"x0,80



soft grey 60x120x2/24"x48"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
beige	60x120/24"x48"	20/0,80"	5901503216781	mat	10	R11	IV	✓
grey	60x120/24"x48"	20/0,80"	5901503220320	mat	7	R11	IV	✓
brown	60x120/24"x48"	20/0,80"	5901503217047	mat	8	R11	IV	✓
antracite	60x120/24"x48"	20/0,80"	5901503218402	mat	6	R11	IV	✓

packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32



/83/inspiration of the carpet

select decor collection

available colours



blue



blue 60x60x3/24"x24"x1,20" rectified


color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
blue	60x60/24"x24"	30/1,20"	5901503219874	mat	1	R11	IV	✓

select decor collection 

60x60x3/24"x24"x1,20"

⊕ available sizes



 packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40

select decor collection


/85/inspiration of the carpet



select decor collection



terra 60x60x3/24"x24"x1,20" rectified


color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
terra	60x60/24"x24"	30/1,20"	5901503219881	mat	1	R11	IV	✓

format cm/in	grubość mm	szt./opak.	m ² /opak.	kg/opak.	opak./paleta	⊕ packing system 
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	⊕



grey 60x60x3/24"x24"x1,20" rectified


color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
grey	60x60/24"x24"	30/1,20"	5901503219867	mat	1	R11	IV	✓

⊕ packing system 	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40



/87/ inspiration of the concrete

space collection



grau 60x60x2/24"x24"x0,80" rectified



color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
grau	60x60/24"x24"	20/0,80"	5905427711117	mat	6	R11	IV	✓
antracite	60x60/24"x24"	20/0,80"	5905427711131	mat	6	R11	IV	✓

space collection 

60x60x2/24"x24"x0,80"

 available sizes





 packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



/89/inspiration of the stone

spectre collection



grey 60x60x2/24"x24"x0,80" rectified



color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
grey	60x60/24"x24"	30/1,20"	5901503207697	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907641446448	mat	6	R11	IV	✓
dark grey	60x60/24"x24"	30/1,20"	5901503207727	mat	7	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907941446806	mat	7	R11	IV	✓


spectre collection  

60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20"

 available sizes




 packing system 	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



/91/inspiration of the concrete

stark collection



white 60x120x2/24"x48"x0,80" rectified



white 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
white	60x120/24"x48"	20/0,80"	5901503211793	mat	8	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207864	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503222041	mat	6	R11	IV	✓
pure grey	60x120/24"x48"	20/0,80"	5901503211083	mat	8	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207857	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503222027	mat	6	R11	IV	✓
graphite	60x120/24"x48"	20/0,80"	5901503211090	mat	8	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207840	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503222287	mat	6	R11	IV	✓



stark collection

60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" • 90x90x2/36"x36"x0,80"
90x90x3/36"x36"x1,20" • 60x120x2/24"x48"x0,80"

⊕ available sizes



packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30



white 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
white	90x90/36"x36"	30/1,20"	5901503218891	mat	7	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503223901	mat	7	R11	IV	✓
pure grey	90x90/36"x36"	30/1,20"	5901503218952	mat	7	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503223925	mat	7	R11	IV	✓
graphite	90x90/36"x36"	30/1,20"	5901503218914	mat	7	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503223949	mat	7	R11	IV	✓

packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30

stark white 90x90x2/36"x36"x0,80"





/95/ inspiration of the wood

suomi collection

available colours



cream

brown



brown 60x120x2/24"x48"x0,80" rectified



brown 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
cream	60x120/24"x48"	20/0,80"	5901503211304	mat	4	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503213858	mat	9	R11	IV	✓
brown	60x120/24"x48"	20/0,80"	5901503211311	mat	4	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503207185	mat	9	R11	IV	✓


suomi collection   

60x60x2/24"x24"x0,80" • 60x120x2/24"x48"x0,80" • 45x90x2/18"x36"x0,80"
40x120x2/16"x48"x0,80"new

⊕ available sizes



packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30




brown 45x90x2/18''x36''x0,80'' rectified




brown 40x120x2/16''x48''x0,80'' rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
cream	45x90/18''x36''	20/0,80''	5905427710554	mat	9	R11	IV	✓
brown	45x90/18''x36''	20/0,80''	5905427710578	mat	9	R11	IV	✓

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
cream	40x120/16''x48''	20/0,80''	5905427713364	mat	9	R11	IV	✓
brown	40x120/16''x48''	20/0,80''	5905427713388	mat	9	R11	IV	✓


format cm/in	grubość mm	szt./opak.	m ² /opak.	kg/opak.	opak./paleta	⊕ packing system 
45x90/18''x36''	20/0,80''	2	0,81/8,72	37/81,55	24	⊕

⊕ packing system 	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
⊕	40x120/16''x48''	20/0,80''	2	0,96/10,33	41,57/91,65	20



/99/inspiration of the concrete

town collection



soft grey 60x60x2/24"x24"x0,80" rectified



color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
soft grey	60x60/24"x24"	20/0,80"	5901503202111	mat	9	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208014	mat	9	R11	IV	✓
beige	60x60/24"x24"	20/0,80"	5901503202142	mat	9	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208038	mat	9	R11	IV	✓
grey	60x60/24"x24"	20/0,80"	5901503208021	mat	9	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503202128	mat	9	R11	IV	✓
antracite	60x60/24"x24"	20/0,80"	5901503202135	mat	9	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208045	mat	9	R11	IV	✓


town collection   

60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" • 90x90x2/36"x36"x0,80"
60x120x2/24"x48"x0,80" • 45x90x2/18"x36"x0,80"


 available sizes



 packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30




soft grey 60x120x2/24"x48"x0,80" rectified




soft grey 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
soft grey	60x120/24"x48"	20/0,80"	5901503211267	mat	6	R11	IV	✓
beige	60x120/24"x48"	20/0,80"	5901503211281	mat	6	R11	IV	✓
grey	60x120/24"x48"	20/0,80"	5901503211274	mat	6	R11	IV	✓
antracite	60x120/24"x48"	20/0,80"	5901503211113	mat	6	R11	IV	✓


color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
soft grey	90x90/36"x36"	20/0,80"	5901503224045	mat	5	R11	IV	✓
beige	90x90/36"x36"	20/0,80"	5901503224069	mat	5	R11	IV	✓
grey	90x90/36"x36"	20/0,80"	5901503221488	mat	5	R11	IV	✓
antracite	90x90/36"x36"	20/0,80"	5901503221501	mat	5	R11	IV	✓

format cm/in	grubość mm	szt./opak.	m ² /opak.	kg/opak.	opak./paleta	⊕ packing system 
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	⊕

⊕ packing system 	format cm/in	grubość mm	szt./opak.	m ² /opak.	kg/opak.	opak./paleta
⊕	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30



town soft grey 60x60x2/24"x24"x0,80"



soft grey 45x90x2/18"x36"x0,80" rectified



color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
soft grey	45x90/18"x36"	20/0,80"	5901503225660	mat	10	R11	IV	✓
beige	45x90/18"x36"	20/0,80"	5901503225684	mat	10	R11	IV	✓
grey	45x90/18"x36"	20/0,80"	5901503225646	mat	10	R11	IV	✓
antracite	45x90/18"x36"	20/0,80"	5901503225707	mat	10	R11	IV	✓

packing system	format cm/in	grubość mm	szt./opak.	m ² /opak.	kg/opak.	opak./paleta
	45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24



/105/ inspiration of the stone

vena stone collection



grey 60x60x2/24"x24"x0,80" rectified



color	format cm/in	thk. mm/in	ean	surface	no. of face	R	pei	rectified
grey	60x60/24"x24"	20/0,80"	5901503206409	mat	9	R11	IV	✓

vena stone collection  

60x60x2/24"x24"x0,80"







 available sizes















 packing system	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
collection star 3.0							
60x60/24"x24" rectified	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
90x90/36"x36" rectified	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
collection star 2.0							
30x60/12"x24" rectified^{new}	20/0,80"	3	0,54/5,81	24,6/54,23	48	25,92/278,88	1181/2603
60x60/24"x24" rectified	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050
45x90/18"x36" rectified	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016
30x120/12"x48" rectified	20/0,80"	1	0,36/3,87	16/35,27	50	18/193,50	800/1764
40x120/16"x48" rectified^{new}	20/0,80"	2	0,96/10,33	41,57/91,65	20	19,2/206,67	831/1832
90x90/36"x36" rectified	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
60x120/24"x48" rectified	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
120x120/24"x48" rectified^{new}	20/0,80"	1	1,44/15,50	65/143,30	18	25,92/279	1170/2579

pictogram description

 floor tiles	 frost resistance	 rectified
 abrasion resistance	R11 anti-slip	 mat
 shade centrum		

Dimension and flatness of surface Abmessungen und ebenheit der fläche		Standards Normen	N ≥ 15 cm	
			Requirements Anforderungen	Average value Erzielter Durchschnittswert
	Length, Länge	EN ISO 10545-2	± 0,6%	± 0,5%
	Width, Breite		± 0,6%	± 0,5%
	Thickness, Stärke		± 5% / 0,5 mm	± 3% / max 0,5 mm
	Deviation of the angle Abweichung vom winkel		± 0,5% / 2mm	± 0,05% / max 2 mm
	Surface flatness Flächenebenheit		± 0,5% / 2mm	± 0,2% / max 2 mm
Physical properties Physikalische eigenschaften		Standards Normen	Requirements Anforderungen	Average value Erzielter Durchschnittswert
	Water absorption Wasseraufnahmevermögen	EN ISO 10545-3	E ≤ 0,5%	0,1% - 0,2%
	Breaking strength Modulus of rupture Bruchkraft	EN ISO 10545-4	for thickness, bei d. Stärke ≥ 7,5 mm - ≥ 1300 N	30 MM 26 000 N 20 MM 8 500 N
	Modulus of rupture Biegefestigkeit	EN ISO 10545-4	≥ 35 N / mm ²	30 MM 48 N / mm ² 20 MM 48 N / mm ²
	Abrasion resistance Abriebfestigkeit	EN ISO 10545-7	According to the manufacturer's declaration, laut Herstellererklärung	IV PEI
	Resistance to thermal shock Widerstand gegen Temperaturschock	EN ISO 10545-9	requirements erforderlich	resistant beständig
	Crazing resistance Rissbeständigkeit	EN ISO 10545-11	requirements erforderlich	resistant beständig
	Frost resistance Frostbeständigkeit	EN ISO 10545-12	requirements erforderlich	resistant beständig
	Chemical resistance Chemische Beständigkeit	EN ISO 10545-13	min. B	A, LA, HA
	Resistance to spotting Fleckempfindlichkeit	EN ISO 10545-14	min. 3	5
	The release of lead and cadmium Freisetzung von Blei und Cadmium	EN ISO 10545-15	Cd 0,07 mg/dm ² Pb 0,8 mg/dm ²	0 0
	Slip resistance Rutschhemmung	DIN 51130	According to the manufacturer's declaration, laut Herstellererklärung	R11

Discover more information about our
Star 1.0, 2.0 and 3.0 **exhibition area**
in our catalog

STAR
1.0

STAR
2.0

STAR
3.0



STARGRES®




scan QR code to download
our exposition catalogue

The **Star 2.0/3.0** Inclined display stand is a modern exhibition unit designed for presenting gres tiles in an organized and aesthetically pleasing manner. Thanks to the connector module, individual stands can be combined into a seamless display line, allowing for optimal use of showroom space.

Advantages of the Star 2.0/3.0 Inclined display stand:

- Expandable design for creating larger displays
- Stable and ergonomic construction
- Aesthetic finish suited to modern showroom interiors
- Easy access to displayed gres tile patterns


Display with Connector (1x Display Stand + Connector): 220x248x110 cm



STAR 2.0
STAR 3.0


STAR 3.0

Tile stand 24x49x67 cm





STAR 2.0

Tile stand 24x49x63 cm



- 01 collection name
- 02 collection sample graphic
- 03 available colours
- 04 information about collection
- 05 packing system
- 06 number of page and inspiration
- 07 available sizes and thickness
- 08 pictograms
- 09 collection name
- 10 name and size collection
- 11 number of page and inspiration
- 12 available colours
- 13 collection name
- 14 information about collection
- 15 packing system



collection	120x120x2 48"x48" new	60x120x2 24"x48"	40x120x2 16"x48"	90x90x2 24"x48"	90x90x3 24"x48"	30x120x2 12"x48"	45x90x2 12"x48"	60x60x2 24"x24"	60x60x3 24"x24"	30x60x2 12"x24" new
concrete ^{new}								18		
danzig					30			30	30	
downtown					34			34	34	
halifax			38				38			
oxygen								42		
peacock				44	44			44	44	
pietra serena		64				64		64	64	
pizarra		68		68	68		68	68	68	
pulsar								74		
qubus ^{new}								20		

collection	120x120x2 48"x48" new	60x120x2 24"x48"	40x120x2 16"x48"	90x90x2 24"x48"	90x90x3 24"x48"	30x120x2 12"x48"	45x90x2 12"x48"	60x60x2 24"x24"	60x60x3 24"x24"	30x60x2 12"x24" new
rawtech								76		
select		78						78	78	
select decor									82	
space								86		
spectre								88	88	
stark		90		90	90			90	90	
suomi		94	94				94	94		
town		98		98			98	98	98	
tobi ^{new}								22		
vena stone								104		
voyager ^{new}	24	24		24				24	24	24

STARGRES®

Without on explicit written consent of the Distributor no part of this catalogue may be copied in any form, which covers digital devices and information retrieval and storage systems. Modifications and changes to the products, technical specifications and the catalogue itself are forbidden. The colour of products may differ from the ones shown in the pictures due to limitations in the printing process.



powered by

Stargres Sp. z o.o.

ul. Ceramiczna 5
26-200 Końskie

www.stargres.pl